

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING




Fore[®] Rainshield

Fungicide

ACTIVE CONSTITUENT: 480 g/L MANCOZEB

GROUP **M3** FUNGICIDE

For the control of fungal diseases of turf and ornamentals as per the Directions for Use Table.



Distributed by: Amgrow Pty Ltd ABN 81 100 684 786
Unit B2A, 3-29 Birnie Avenue, Lidcombe NSW 2141 • TELEPHONE: 1800 631 008
Fore Rainshield is a Trademark of Dow Agrosciences

DIRECTIONS FOR USE

SITUATION	DISEASE	STATE	RATE	CRITICAL COMMENTS
Turf	Fusarium, Rhizoctonia, Helminthosporium	All States	335 to 415 mL/100m ²	Apply in sufficient water for adequate coverage. Apply at 7 day intervals during susceptible season. DO NOT feed grass clippings from treated areas to poultry or animals.
Ornamentals Roses	Black Spot	Tas only	12.5 to 17 mL/5L water	Apply at first sign of disease and repeat at 7 to 10 day intervals. During weather conditions favourable to disease development, use the higher rate and shorter spray interval.
Gladioli, Chrysanthemums	Grey Mould (Botrytis), Septoria Leaf Spot			
Carnations	Rust, Alternaria Leaf Spot	NSW only	12.5 to 17 mL/10 L water	
Flowers, Shrubs	Septoria Leaf Spot			
Ferns	Botrytis Leaf Spot			

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: DO NOT GRAZE TREATED TURF, OR FEED TURF CLIPPINGS FROM ANY TREATED AREA TO POULTRY OR LIVESTOCK.

GENERAL INSTRUCTIONS

Fore® Rainshield Fungicide is a protectant fungicide for the control of certain fungus diseases in many crops. For best results, apply as a regular spray program. Thorough coverage of the treated crop is essential.

MIXING

Add the required amount of Fore Rainshield Fungicide to the spray tank containing half the required volume of water. Mix thoroughly and make up to the required volume with water.

APPLICATION

Use 660-1300 L of water/ha, increasing in heavy growth to ensure thorough coverage. Fore Rainshield Fungicide may be used as a ground application through boom sprays or in low volume sprays by increasing the dosage accordingly. The addition of Nufarm Spraymate® Activator is recommended to improve wetting and distribution of this product. Add 50 to 125 mL Activator per 100 L of spray solution.

SPRAY TIMING

Treatments should begin prior to disease infection and continue until the threat of disease has passed. Repeated applications are necessary to protect new plant growth. Reduce the spray interval when weather conditions favour disease development.

COMPATIBILITY

For use in turf, this product may be combined with Chipco Rovral® Green. DO NOT combine with Bordeaux mixture or Lime Sulphur.

FUNGICIDE RESISTANCE WARNING

For fungicide resistance management Fore Rain shield Fungicide is an Group M3 Fungicide. Some naturally occurring individual fungi resistant to the product and other Group M3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by the product and other Group M3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Amgrow Pty Ltd accepts no liability for losses that may result from the failure of the product to control resistant fungi.

PROTECTION OF LIVESTOCK

DO NOT graze treated turf, or feed turf clippings from treated areas to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic organisms. DO NOT contaminate streams, rivers or waterways with the chemical or used container. Drift and run off from treated areas may be hazardous to aquatic organisms in neighbouring areas.

STORAGE AND DISPOSAL

Store in the closed original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Keep away from fire and sparks. Users are reminded this product should be used before the stated expiry date. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

May irritate eyes, nose, throat and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126. Avoid giving alcohol.

MATERIAL SAFETY DATA SHEET

Additional information is listed on the Material Safety Data Sheet available from Amgrow Pty Ltd.

CONDITIONS OF SALE: Amgrow Pty Ltd shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Amgrow's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Amgrow has any authority to add to or alter these conditions.

® Chipco Rovral is a registered trademark of Bayer.
Fore Rainshield is a Trademark of Dow Agrosciences

APVMA Approval No.: 59833/58224

GROUP M3 FUNGICIDE

**IN A TRANSPORT EMERGENCY DIAL 000
• POLICE OR FIRE BRIGADE •**



Batch Number

Date of Manufacture

Expiry Date: 2 years after the date of manufacture