CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING





ACTIVE CONSTITUENT: 500 g/L DIAFENTHIURON

GROUP 12A INSECTICIDE

For the control of Couchgrass Mite in Turf as per the Directions for Use

Syngenta Australia Pty Ltd Level 1, 2-4 Lyonpark Road, Macquarie Park NSW 2113

In a transport emergency dial 000, Police or Fire Brigade For specialist advice in an emergency only, call 1800 033 111 (24 hours)

APVMA Approval No: 68340/58173 Item number

TM

DIRECTIONS FOR USE

Restraints

DO NOT apply by backpack application

DO NOT apply with aircraft

DO NOT apply through any type of irrigation system or ultra low volume spray system

DO NOT apply with a nozzle height greater than 50 cm above the ground

DO NOT apply consecutive sprays or apply within 6 weeks of previous spray

The effect of this product could be diminished if rain falls within 6 hours of application

Situation	Pest	Rate	Critical Comments
Turf	Couchgrass Mite (Aceria cynodoniensis, formerly Eriophyes cynodoniensis)	500 mL/ha or 5 mL/100 m ²	Apply HIGRAN in an early curative situation (after first symptoms are apparent). Best results are achieved if applied as populations begin to build rather than at the peak of population growth. The addition of a non-ionic surfactant at a rate of 0.25% v/v (1000 g ai/L products) or 0.42% v/v (600 g ai/L products) such as Agral® Spray Adjuvant is essential. Refer to Application section for detailed information.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: DO NOT GRAZE TREATED TURF/LAWN OR FEED TURF/LAWN CLIPPINGS FROM ANY TREATED AREA TO POULTRY OR LIVESTOCK

GENERAL INSTRUCTIONS

Mixina

Add the required amount of HIGRAN to clean water in half filled spray tank with the agitator or bypass in operation. Maintain agitation while filling tank with remainder of water. Agitation must also be maintained throughout the spray operation.

Non-ionic Surfactants: The addition of a non-ionic surfactant at a rate of 0.25% v/v (1000 g ai/L products) or 0.42% v/v (600 g ai/L products) such as Agral is essential.

Application

Apply by ground boom sprayer, low pressure hand wand or hand gun sprayer.

To be effective HIGRAN requires thorough spray coverage. Ensure that equipment is properly calibrated to give an even distribution at the correct volume. Application volume should be adequate to ensure thorough and even coverage of turf leaves with penetration into the crowns. Ideal application volume should be 350 to 500 L/ha. For best results use coarse [eg Turbo Teejet* (11004 or 11005)] nozzles, at 5 km/h and 3 bar pressure. In higher cut turf (>15 mm) a significant spray shielding effect can occur, impacting negatively on spray penetration and even coverage therefore the higher end of the total volume recommendation should be adopted.

Insecticide Resistance Warning

GROUP 12A INSECTICIDE

For insecticide resistance management HIGRAN TURF MITICIDE is a Group 12A insecticide. Some naturally occurring insect biotypes resistant to HIGRAN and other Group 12A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if HIGRAN and other Group 12A insecticides are used repeatedly. The effectiveness of HIGRAN on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Syngenta Australia Pty Ltd accepts no liability for any losses that may result from failure of HIGRAN to control resistant insects. HIGRAN may be subject to specific resistance management strategies. For further information contact your supplier, Syngenta representative or local agricultural department agronomist.

PRECAUTION

Re-entry Period

DO NOT allow public access to treated areas until the spray has dried.

Low Exposure Activities: DO NOT undertake low exposure occupational re-entry activities such as irrigation and mowing on treated turf until the spray had dried.

High Exposure Activities: DO NOT undertake high exposure occupation re-entry activities such as hand weeding or transplanting of turf until 15 days after application, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow length chemical resistant gloves.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very dangerous to fish and crustaceans. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If no facility is available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed or inhaled. Will irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. When opening the container, mixing and loading the spray and using the prepared spray wear:

- · cotton overalls buttoned to the neck and wrist (or equivalent clothing)
- elbow length chemical resistant gloves
- disposable mist face mask covering mouth and nose

When using the prepared spray wear by low pressure hand wand, wear:

- cotton overalls over normal clothing, buttoned to the neck and wrist
- elbow length chemical resistant gloves
- disposable mist face mask covering mouth and nose

Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126.

MATERIAL SAFETY DATA SHEET

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy phone 1800 067 108 or visit our website at www.greencast.com.au or www.syngenta.com.au

DISCLAIMER

This product complies with the specifications in its statutory registration. Implied terms and warranties are excluded. Syngenta's liability for breach of the express or any non-excludable implied warranty is limited to product replacement or purchase price refund. The purchaser must determine suitability for intended purpose and take all proper precautions in the handling, storage and use of the product including those on the label and/or safety data sheet failing which Syngenta shall have no liability.

Product names marked ® or ™, the ALLIANCE FRAME	
the SYNGENTA Logo and the PURPOSE ICON \	
are Trademarks of a Syngenta Group Company	

Batch No	
Date of Manufacture	

BARCODE	