

# MATERIAL SAFETY DATA SHEET

Page 1 of Total 5  
Date of Issue: April 2006  
MSDS No. FMC/EZY/1

## SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** BRIGADE<sup>®</sup> EZY GRANULAR TURF INSECTICIDE

**Other Names:** Bifenthrin.  
**Use:** A granular Insecticide for control of certain pests in turf; ants, fleas and ticks in external surrounds of buildings and structures.  
**Company:** FMC Australasia Pty Ltd.  
**Address:** Unit 6, 9 Archimedes Place, Murarrie, Qld 4172  
**Telephone Number:** 07 3908 9222 **Fax Number:** 07 3908 9221  
**Emergency Telephone Number:** 1800 033 111 (All hours - Australia wide).

## SECTION 2 HAZARDS IDENTIFICATION

**Not classified as hazardous according to criteria of NOHSC Australia.  
Not classified as a Dangerous Good according to the ADG Code.**

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

### Ingredients:

<i>CHEMICAL</i>	<i>CAS NUMBER</i>	<i>PROPORTION</i>
Bifenthrin	82657-04-3	0.2% w/w
Other ingredient determined to be non hazardous		Balance

## SECTION 4 FIRST AID MEASURES

### FIRST AID

**Swallowed:** If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia (13 11 26).  
**Eye:** If in eyes, hold eyes open and flush with water for at least 15 minutes. If irritation occurs and persists, obtain medical attention.  
**Skin:** If on skin or clothing, shake off and then wash skin with soap and water.  
**Inhaled:** Remove patient to fresh air.

**Advice to Doctors:** Bifenthrin, the active ingredient in this product is a pyrethroid insecticide. Bifenthrin is toxic by ingestion and highly toxic by inhalation. Gastric lavage with an endotracheal tube may be preferred to vomiting. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive. However, due to the very low concentration of bifenthrin in this product, symptoms are unlikely to be caused by this product.

## SECTION 5 FIRE FIGHTING MEASURES

**Specific Hazard:** Product is not combustible.  
**Extinguishing media:** Foam, CO<sub>2</sub> or dry chemical. Soft stream water fog if no alternatives. Contain all runoff.

**Hazards from combustion products:** On exposure to high temperatures, will emit toxic fumes of carbon monoxide, carbon dioxide, hydrogen chloride and hydrogen fluoride etc.

**Precautions for fire-fighters and special protective equipment:** Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe or contact smoke, gases or vapours generated.

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

**Emergency procedures:** Isolate and post spill area. Keep out unprotected persons and animals. Wear prescribed protective clothing and equipment. Large spills should be dyked and covered to prevent dispersal. Keep material out of streams and sewers. Vacuum, shovel or pump spilled material into an approved container and if unable to use as directed on the label, dispose of as listed in section 13.

**Material and methods for containment and cleanup procedures:** To clean spill area, tools and equipment, wash with a solution of caustic or soda ash and an appropriate alcohol (methanol, ethanol or isopropanol). Follow this by washing with a strong soap and water solution. Absorb any excess liquid and add to drums of waste that cannot be re-used.

Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

## **SECTION 7 HANDLING AND STORAGE**

**Precautions for Safe Handling:** Ensure containers are kept closed until using product. Avoid skin and eye contact. Do not breathe dust. When opening the container and using granules, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing).

**Conditions for Safe Storage:** Store in the closed original container, in a cool well ventilated area, out of direct sunlight. Keep away from domestic pets, especially dogs. If dogs eat the granules, contact your veterinary surgeon immediately.

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **National Exposure Standards:**

No NOHSC Australia exposure standard has been established for bifenthrin, or this product.

### **Biological Limit Values:**

No biological limit allocated.

### **Engineering controls:**

Use in a ventilated area only. Ventilate all transport vehicles prior to unloading. Keep containers close when not in use.

### **Personal Protective equipment (PPE):**

Work Clothing: Depending on circumstances encountered, wear long sleeve uniform or overalls. Launder all clothes before reuse.

Eye Protection: Where potential for dust exists, wear chemical protective goggles or a face shield.

Respiratory Protection: For dust exposure wear a properly fitted half face or full face air purifying respirator. Respirator selection is based on airborne concentrations.

Gloves: Wear chemical protective gloves made of materials such as PVC, rubber or neoprene. Wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

Personal Hygiene: Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Brown, solid granules.
<b>Odour:</b>	Very mild musty-like odour.
<b>Boiling point:</b>	Not available.
<b>Freezing point:</b>	Not available.
<b>Bulk Density:</b>	Not available.
<b>Solubility in Water:</b>	Not soluble.
<b>Flammability:</b>	Not flammable.
<b>Corrosive hazard:</b>	Non corrosive; compatible with stainless steel, glass & aluminium.
<b>Flashpoint (°C) :</b>	Not applicable - granule.
<b>Flammability Limits (%):</b>	Not established.
<b>Poisons Schedule:</b>	Product is a not a scheduled poison.

**SECTION 10 STABILITY AND REACTIVITY**

Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

**SECTION 11 TOXICOLOGICAL INFORMATION**

***Potential Health Effects:***

Studies with laboratory animals have shown this product to have low acute toxicity. Ingestion of large doses of bifenthrin (the active ingredient in this product) by laboratory animals produced signs of toxicity which included clonic convulsions, tremors and bloody nasal discharge. This product has only a very low proportion of bifenthrin (0.2%), and these symptoms are unlikely to be caused by this product.

**Acute**

<b>Swallowed:</b>	This product has low oral toxicity. Acute Oral LD <sub>50</sub> (rat) > 5000 mg/kg.
<b>Eye:</b>	Non-irritating to the eye. Excessive exposure to granules may cause irritation to the eyes. This product contains a granular material that may cause mechanical irritation to the eyes.
<b>Skin:</b>	Non-irritating to the skin. Acute Dermal LD <sub>50</sub> (rabbit) > 2000 mg/kg.
<b>Inhaled:</b>	As this product is a granule it is unlikely to be an inhalation hazard.

**Chronic:** No data available on this formulation. In studies with laboratory animals, Bifenthrin Technical (the active ingredient in this product) did not cause teratogenicity or reproductive toxicity. Tremors were associated with repeated exposure of dogs, rats, rabbits, and mice to bifenthrin. The overall results from a battery of genotoxicity studies indicate that bifenthrin is not considered to be genotoxic. Ames test results were negative.

**SECTION 12 ECOLOGICAL INFORMATION**

**Environmental Toxicology:** Bifenthrin is highly toxic to fish and aquatic arthropods with LC<sub>50</sub> values ranging from 0.0038 µg/L to 17.8 µg/L. In general, the aquatic arthropods are the most sensitive species. Care should be taken to avoid contamination of the aquatic environment. Bifenthrin had no effect on molluscs at its limit of water solubility. Bifenthrin is only slightly toxic to both waterfowl and upland game birds (LC<sub>50</sub> values range from 1800 mg/kg to > 2,150 mg/kg).

**SECTION 12 ECOLOGICAL INFORMATION (Continued)**

**Physical/Environmental Properties:** No data is available on Brigade Ezy Granular Turf Insecticide. The active ingredient, bifenthrin (0.2%), degrades at a moderate rate in soils ( $t_{1/2}$  = 50 to 205 days), and more rapidly on the surface of bare soils ( $t_{1/2}$  = 7 to 62 days). Bifenthrin is tightly bound in most soils and an extremely low water solubility. Bifenthrin is highly toxic to aquatic organisms.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**Spills & Disposal:** In the case of spillage contain spilled material by dyking. Dispose of waste as indicated below or according to the Australian Standard 2507 - Storage and Handling of Pesticides. Wear prescribed protective clothing and equipment. Keep material out of streams and sewers. Vacuum, shovel or pump waste into an approved drum. To decontaminate spill area, tools and equipment, wash with a suitable solution (ie organic solvent, detergent, bleach or caustic) and add the solution to the drums of wastes already collected. Label for contents. Dispose of drummed wastes, including decontamination solution, in accordance with the requirements of Local or State Waste Management Authorities.

*Dangerous to Fish:* Do NOT allow spilled product or wash solution to enter sewers, drains, dams, creeks or any other waterways.

Puncture, shred or bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

**SECTION 14 TRANSPORT INFORMATION**

**Road & Rail Transport:** Brigade Ezy Granular Turf Insecticide is not classified as Dangerous Goods under the Australian Code for the Transport of Dangerous Goods by Road and Rail.

**Marine and Air Transport:** Brigade Ezy Granular Turf Insecticide is a Marine Pollutant according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA). If transporting by sea or air the following Dangerous Goods Classification applies:

UN 3077, Class 9 (Miscellaneous Dangerous Goods), Packing Group III, Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Contains 0.2% Bifenthrin).

**SECTION 15 REGULATORY INFORMATION**

Not classified as a hazardous substance according to criteria of NOHSC Australia. Under the Standard for Uniform Scheduling of Drugs and Poisons (SUSDP No. 20), this product is a not a scheduled poison. This product is registered under the Agricultural and Veterinary Chemicals Code Act 1994. Product Registration No. 59962. Product is not classified as a Dangerous Good according to the ADG Code (6<sup>th</sup> Ed). Product is classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

**SECTION 16 OTHER INFORMATION**

Issue Date: 18 April 2006 (First Issue).

Key to abbreviations and acronyms used in this MSDS:

Genotoxic Capable of causing damage to genetic material, such as DNA.

Oedema Accumulation of fluid in tissues.

ADG Code Australian Dangerous Goods Code (for the transport of dangerous goods by Road and Rail).

NOHSC National Occupational Health and Safety Commission.

PPE Personal protective equipment.

References

1. "Search Hazardous Substances". HSIS NOHSC Australia website. (2006).
2. "Approved Criteria for Classifying Hazardous Substances" 3rd Ed. NOHSC Australia. [NOHSC:1008 (2004)]. October 2004.

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

*End MSDS*