

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Indemnify®

Turf Nematicide

ACTIVE CONSTITUENT: 400 g/L FLUOPYRAM

For control of nematodes in turf

* mL

**Registered pack size range 500 mL – 1000L*

DIRECTIONS FOR USE**RESTRAINTS**

DO NOT apply by aircraft

SPRAY DRIFT RESTRAINTS

DO NOT apply with spray droplets smaller than a **MEDIUM** spray droplet size category according to nozzle manufacturer specifications that refer to ASAE S572 Standard to the BCPC Guideline.

DO NOT apply when wind speed is less than 3 or more than 20 kilometres per hour as measured at the application site.

DO NOT apply during surface temperature inversion conditions at the application site.

Users of this product **MUST make an accurate written record** of the details of each spray application within 24 hours following application and **KEEP** this record for a minimum of 2 years. The spray application details that must be recorded are:

1. date and start and finish times of application;
2. location address and areas sprayed;
3. full name of this product;
4. amount used per hectare and number of hectares applied to;
5. situation and disease;
6. wind speed and direction during application;
7. air temperature;
8. nozzle brand, model and type and spray system pressure measured during application;
9. name and address of person applying this product.

(Additional record details may be required by the State or Territory where this product is used).

MANDATORY NO-SPRAY ZONES

DO NOT apply if there are sensitive crops, gardens, landscaping vegetation, protected native vegetation or protected animal habitat within 5 metres downwind from the application area.

DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
Turf including golf courses (e.g., fairways, greens, tees) and sports turf (e.g. football and rugby pitches, tennis, bowls and cricket pitches), racetracks, parklands and commercial and residential lawns.	Plant parasitic nematodes including Sting, Spiral, Sheath, Ring, Root Lesion, Root-knot and Stubby	625 mL / ha Apply in 400 – 800 L water/ha	Use this product as part of an integrated nematode management program for turfgrass. Apply as a preventative treatment when conditions are favourable for root growth. Reapply as needed after 28 days when nematode pressure is high. Irrigate with sufficient water as soon as possible after application to wash the product into the root zone. Apply a maximum of 1.25 L / ha per year. Do not apply more than the maximum annual rate from any combination of products containing FLUOPYRAM.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD

DO NOT graze treated turf or lawn; or feed turf or lawn clippings from any treated area to poultry or livestock.

GENERAL INSTRUCTIONS**Mixing**

Half-fill the spray tank with clean water. With agitators running, add required amount of Indemnify and fill spray tank to desired level. Maintain constant agitation to ensure uniformity of spray mixture.

Application

Effective control requires good coverage. Application should be made using sufficient water to ensure thorough coverage.

Compatibility

As formulations of other manufacturers' products are beyond the control of Bayer, all mixtures should be tested prior to mixing commercial quantities. For information on the compatibility of Indemnify with other products, contact your local retailer or Bayer CropScience representative.

RESISTANCE WARNING

Although resistance in nematode populations has not been proven, repeated exclusive use of any product may lead to a reduction in control. Rotation with nematicides with a different mode of action is recommended. Indemnify should be used as part of an Integrated Pest Management (IPM) program to control nematodes. IPM programs using cultural practices, monitoring or other detection methods, proper pest identification and rotation of nematicides with different modes of action will help prevent economic pest damage.

PRECAUTIONS**RE-ENTRY**

Do not allow entry into treated areas until the spray is dry.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or water courses with this product or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (telephone 13 11 26)

SAFETY DATA SHEET

Additional Information is listed in the Safety Data Sheet which is available at www.environmentalscience.bayer.com.au.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval No. 84365/110206

Indemnify® is a Registered Trademark of the Bayer Group

Bayer CropScience Pty Ltd
A.B.N. 87 000 226 022
Level 1, 8 Redfern Rd
Hawthorn East, Vic. 3123
Technical enquiries: 1800 804 479
Website: www.environmentalscience.bayer.com.au

FOR 24 HOUR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 033 111

GHS statements

Classification not required according to GHS criteria