

Midas Turf Fungicide

- Boscolid Fungicide 500g/kg WG formulation
 - SDHI or carboxamide class of chemistry group 7
 - Inhibits respiration within the fungal cell
 - Extremely effective on dollar spot
 - Low use rates
 - Preventative and early curative activity
 - Upward systemic and limited translaminar movement moves with water stream in plants
 - ► 1kg Pack



Product attributes

- Remains in suspension indefinitely
- Will not clog spray nozzles
- No active ingredient lost
- Will re-suspend with agitation
- Remains compatible with excessive hard or soft water
- 500g/kg Water Dispersible Granule
- Dust Free
- Uniform particle size
- Remains compatible with excessive hard or soft water





Proposed Use Rates / Intervals

- 780g / ha
- 14 to 28 Day application interval
- No more than 2 consecutive applications
- Maximum of 4 application / year
- No downwind spray buffer zone






Disease Control

- Effective against strains of dollar spot that are resistant to sterol inhibitors, dicarboximides and benzimidazoles
- Rotate Midas with other effective dollar spot fungicides
- Maximum 2 consecutive applications followed by application of another fungicide
- Excellent for fairway dollar spot where long term control is desired






Midas – Dollar spot control











Dollar Spot on Creeping Bentgrass





Dollar Spot on Creeping Bentgrass





Longer residual performance



Midas .780g/ha / 21 day



Midas 780g/ha / 28 day



Untreated



Heritage 1.2L/ha /14 day



Chipco GT 13L/ha / 14 day



Midas Turf Fungicide Key Attributes

- Excellent control of dollar spot
- Stand alone or tank mix options
- Preventative use
- Long-term control
- Ideal to use early and late in the season "book ending"



Midas[®] Turf Fungicide in Summary

Active ingredient: Boscolid (500g/kg)

Formulation: WG

Pack size: 1kg

Diseases: Dollar spot

Situations: Turf

