

## Section 1 - Identification of The Material and Supplier

Adama Australia Pty Ltd,

Level 1, Building B 207 Pacific Highway St Leonards, NSW 2065 ACN 050 328 973

Telephone (02)9431 7800 (office hours) Emergency 1800 033 111 (24 hours) Fax (02)9431 7700

Chemical nature:	Trinexapac-ethyl i
Trade Name:	Qualipro Marv
Product Use:	Plant growth regul
Creation Date:	February, 2016

-ethyl in a proprietary solvent system. Marvel Ultra Plant Growth Regulator

h regulator for use as described on the product label.

This version issued:

August, 2023 and is valid for 5 years from this date.

Poisons Information Centre: Phone 13 11 26 from anywhere in Australia

# Section 2 - Hazards Identification

## Statement of Hazardous Nature

SUSMP Classification: S5

ADG Classification: Class 9: Miscellaneous Dangerous Goods. UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.



# **GHS Signal word: WARNING**

# Skin sensitisation - category 1

Specific target organ toxicity (repeated exposure) – category 2

Hazardous to the aquatic environment (chronic) - category 2

### **HAZARD STATEMENT:**

H317: May cause an allergic skin reaction.

- H373: May cause damage to the gastrointestinal tract through prolonged or repeated exposure.
- H411: Toxic to aquatic life with long-lasting effects.

#### PREVENTION

P102: Keep out of reach of children.

P261: Avoid breathing fumes, mists, vapours or spray.

P262: Do not get in eyes, on skin, or on clothing.

P271: Use only outdoors or in a well ventilated area.

P281: Use personal protective equipment as required.

#### RESPONSE

P312: Call a POISON CENTRE or doctor if you feel unwell.

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

#### STORAGE

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

#### DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

#### **Emergency Overview**

#### Physical Description & colour: Clear yellow liquid.

Odour: No odour.

Major Health Hazards: skin sensitiser, may cause damage to gastrointestinal tract through prolonged/repeated exposure.





## Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%	TWA (mg/m³)	STEL (mg/m <sup>3</sup> )
Trinexapac-ethyl	95266-40-3	120g/L	not set	not set
Other ingredients said to be not hazardous	secret	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

## Section 4 - First Aid Measures

#### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 11 26 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: If symptoms of poisoning become evident, contact a Poisons Information Centre, or call a doctor at once. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. DO NOT allow victim to move about unnecessarily. Symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

Skin Contact: If irritation occurs, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed. Seek medical advice if sensitisation symptoms are suspected.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

## Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces,

forming potentially explosive mixtures. They may also flash back considerable distances. Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: When fighting fires involving significant quantities of this product, wear a splash suit complete with self contained breathing apparatus. Flammability Class:

Not flammable (GHS); C1 combustible (AS 1940)

## Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include Nitrile, butyl rubber, neoprene. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

#### SAFETY DATA SHEET



# Section 7 - Handling and Storage

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

## **Section 8 - Exposure Controls and Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m<sup>3</sup>)

STEL (mg/m<sup>3</sup>)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Trinexapac-ethyl is set at 0.01mg/kg/day. The corresponding NOEL is set at 1.4mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: nitrile, butyl rubber, neoprene.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

## **Section 9 - Physical and Chemical Properties:**

SAFETY DATA SHEET

Physical Description & colour:	Clear yellow liquid.
Odour:	No odour.
Boiling Point:	Not available.
Flash point:	94.4°C
Upper Flammability Limit:	No data.
Lower Flammability Limit:	No data.
Autoignition temperature:	No data.
Freezing/Melting Point:	No specific data. Liquid at normal temperatures.
Volatiles:	No data.
Vapour Pressure:	No data.
Vapour Density:	No data.
Specific Gravity:	0.9923 at 25.2°C
Water Solubility:	No data.
pH:	3.00-3.44 at 25.1°C
Volatility:	No data.
Odour Threshold:	No data.
Evaporation Rate:	No data.
Coeff Oil/water distribution:	No data
Particle Characteristics:	Not applicable to liquids.
Autoignition temp:	No data.

Phone: (02)9431 7800 (office hours)



# Section 10 - Stability and Reactivity

**Reactivity**: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

Incompatibilities: No particular Incomp

Incompatibilities: No particular Incompatibilities.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Irritating and toxic fumes. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. **Polymerisation:** Polymerisation reactions are unlikely; they are not expected to occur.

## Section 11 - Toxicological Information

#### Local Effects:

Target Organs: Trinexapac-Ethyl Technical: Liver, kidney, brain, gastrointestinal tract.

#### ACUTE TOXICITY/IRRITATION STUDIES (Finished Product):

Acute Oral LD<sub>50</sub> (Rat): > 3,129 mg/kg Acute Dermal LD<sub>50</sub> (Rat): > 5,000 mg/kg Acute Inhalation LC<sub>50</sub> (Rat): > 2.12 mg/L (4 hrs.) Eye Irritation: Minimally irritating Dermal Irritation: Non-irritating

Dermal Sensitization: Not a skin sensitizer

**SYMPTOMS OF OVEREXPOSURE:** Symptoms of overexposure are headaches, dizziness, numbness, nausea, lack of coordination or other central nervous system effects.

#### **REPRODUCTIVE/DEVELOPMENTAL EFFECTS:**

Trinexapac-Ethyl Technical: None observed.

#### CHRONIC/SUBCHRONIC EFFECTS:

Trinexapac-Ethyl Technical: Liver, kidney and brain (dogs) effects at high doses (>5,000 ppm).

#### CARCINOGENÍCITY:

Trinexapac-Ethyl Technical: Slight increase in stomach tumours in male mice at high doses (2,000 ppm). Slight increase in fore stomach tumours in male rats at high doses (20,000 mg/kg/day). The U.S. EPA has classified Trinexapac-ethyl as "not likely to be carcinogenic to humans."

#### **Classification of Hazardous Ingredients**

Ingredient

Trinexapac-ethvl

Health Hazard Statement Codes

H317, H373, H410

- Skin sensitisation category 1B
- Specific target organ toxicity (repeated exposure) category 2
- Hazardous to the aquatic environment (chronic) category 1 (M = 1)

## Potential Health Effects

#### Inhalation:

**Short term exposure:** Available data shows that this product is harmful, but symptoms are not available. In addition product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort. **Long Term exposure:** No data for health effects associated with long term inhalation.

#### Skin Contact:

**Short term exposure:** Available data indicates that this product is not harmful. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases. Trinexapac-ethyl is a dermal sensitiser. Repeated/prolonged exposure may result in sensitisation. Once sensitised, contact with this product, or other products containing trinexapac-ethyl may result in allergic reactions which in some cases can be severe.

Long Term exposure: No data for health effects associated with long term skin exposure.

## Eye Contact:

**Short term exposure:** This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term eye exposure.

#### SAFETY DATA SHEET



#### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. However, this product may be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

Long Term exposure: No data for health effects associated with long term ingestion.

#### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

## **Section 12 - Ecological Information**

This product is biodegradable. It will not accumulate in the soil or water or cause long term problems. **For Trinexapac-ethyl:** 

Birds: LD<sub>50</sub> mallard: >2000mg/kg

LD<sub>50</sub> bobwhite quail: >2250mg/kg

Fish: LC<sub>50</sub> rainbow trout (Oncorhynchus mykiss): 68mg/L

LC<sub>50</sub> bluegill sunfish (*Lepomis macrochirus*): 130.1mg/L

Daphnia: EC<sub>50</sub> >142.5mg/L

## **Section 13 - Disposal Considerations**

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

## **Section 14 - Transport Information**

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazchem Code: •3Z

Special Provisions: 179, 274, 331, 335, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

Dangerous Goods Class: Class 9: Miscellaneous Dangerous Goods.

Packing Group: III

Packing Instruction: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

# **Section 15 - Regulatory Information**

**AIIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations. The following ingredient: Trinexapac-ethyl, is mentioned in the SUSMP.

## **Section 16 - Other Information**

This SDS contains only safety-related information. For other data see product literature.

Acronyms:	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition
AllC	Australian Inventory of Industrial Chemicals
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
SWA	Safe Work Australia, formerly ASCC and NOHSC
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

SAFETY DATA SHEET



Call Adama on (02)9431 7800 and ask for the technical manager.	Fax: (02)9431 7700

If in offertives	Diel Deisene Information Contro
Emergency contact:	1800 033 111 (24 hours)
Police and Fire Brigade:	Dial 000

# If ineffective:

Dial Poisons Information Centre

(13 11 26 from anywhere in Australia)

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, August, 2023.

http://www.kilford.com.au/ Phone (02)8321 8866