

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

SECTION 1: IDENTIFICATION

Product name : SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Product code : Article/SKU: 86802724, 85785265 UVP: 81691088 Specification: 102000029598

Manufacturer or supplier's details

Company : 2022 Environmental Science AU Pty Ltd
ABN 49 656 513 923

Address : Suite 2.06, Level 2, 737 Burwood Road
Hawthorn East, Australia 3123

Telephone : (03) 7019 3839

Emergency telephone number : +61 2 9037 2994

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide
Plant protection agent

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage/eye irritation : Category 2B

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H320 Causes eye irritation.
H360D May damage the unborn child.

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P264 Wash skin thoroughly after handling.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
 Chemical nature : Water dispersible granules (WG)

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fosetyl-aluminium	39148-24-8	>= 60 -<= 100
2-Propanol, reaction products with naphthalene, sulfonated, sodium salts	1322-93-6	>= 3 -< 10
Formic acid	64-18-6	>= 1 -< 2
N-Methyl-2-pyrrolidone	872-50-4	>= 0.3 -< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

- Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : The following symptoms may occur:
The product causes irritation of eyes, skin and mucous membranes.
Causes eye irritation.
May damage the unborn child.
This product is not a cholinesterase inhibitor.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : There is no specific antidote available.
Treat symptomatically.
Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.
Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

ucts

Oxides of phosphorus
Metal oxides
Sulphur oxides
Chlorine compounds
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not swallow.
Do not get in eyes.

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.

- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Recommended storage temperature : 0 - 35 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Fosetyl-aluminium	39148-24-8	TWA	2 mg/m ³ (Aluminium)	AU OEL
Formic acid	64-18-6	TWA	5 ppm 9.4 mg/m ³	AU OEL
		STEL	10 ppm 19 mg/m ³	AU OEL
		TWA	5 ppm	ACGIH
		STEL	10 ppm	ACGIH
N-Methyl-2-pyrrolidone	872-50-4	TWA	25 ppm 103 mg/m ³	AU OEL
Further information: Skin absorption				
		STEL	75 ppm 309 mg/m ³	AU OEL
Further information: Skin absorption				

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm
Protective index : Class 6

Remarks : Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	granules
Colour	:	green
Odour	:	acidic, slight
Odour Threshold	:	No data available
pH	:	3.1 - 5.0 (23 °C) Concentration: 10 %
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Self-ignition	:	Method: Regulation (EC) No. 440/2008, Annex, A.16 The substance or mixture is not classified as self heating.
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	No data available
Bulk density	:	705 kg/m ³
Solubility(ies) Water solubility	:	dispersible

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive
Method: Regulation (EC) No. 440/2008, Annex, A.14

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Dust explosion class : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Strong oxidizing agents
Strong acids and strong bases
Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.22 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Components:**Fosetyl-aluminium:**

Acute oral toxicity : LD50 (Rabbit): 2,680 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.11 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Acute oral toxicity : LD50 (Rat): > 453 - 1,368 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 1.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male): > 2,000 mg/kg
Remarks: Based on data from similar materials

Formic acid:

Acute oral toxicity : LD50 (Rat): 730 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

N-Methyl-2-pyrrolidone:

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

Components:**2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:**

Species : Rabbit
Result : No skin irritation

Formic acid:

Result : Corrosive after 3 minutes or less of exposure
Remarks : Based on national or regional regulation.

N-Methyl-2-pyrrolidone:

Result : Skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Components:**Fosetyl-aluminium:**

Result : Irreversible effects on the eye
Remarks : Based on national or regional regulation.

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Species : Rabbit
Result : Irreversible effects on the eye

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Formic acid:

Result : Irreversible effects on the eye
Remarks : Based on skin corrosivity.

N-Methyl-2-pyrrolidone:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Components:**Formic acid:**

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Formic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked recessive lethal test in *Drosophila melanogaster* (in vivo)
Application Route: Ingestion
Method: OECD Test Guideline 477
Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Hamster
Application Route: Ingestion
Method: OECD Test Guideline 475
Result: negative

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

Carcinogenicity

Not classified based on available information.

Components:

Fosetyl-aluminium:

Species	:	Dog
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Formic acid:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

N-Methyl-2-pyrrolidone:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative
Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

May damage the unborn child.

Components:

Fosetyl-aluminium:

Effects on fertility	:	Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	--

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Effects on fertility	:	Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative
----------------------	---	---

Effects on foetal develop-	:	Test Type: Combined repeated dose toxicity study with the
----------------------------	---	---

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

ment reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Formic acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal develop- : Test Type: Embryo-foetal development
ment Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development
ment Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: positive

Test Type: Fertility/early embryonic development
Species: Rat
Application Route: inhalation (vapour)
Result: positive

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Result: positive

Reproductive toxicity - As- : Clear evidence of adverse effects on development, based on
sessment animal experiments.

STOT - single exposure

Not classified based on available information.

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Components:**2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:**

Assessment : May cause respiratory irritation.

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:**2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:**

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity**Components:****Fosetyl-aluminium:**

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Species : Rat
NOAEL : 1,050 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Species : Rat
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Ingestion
Exposure time : 36 - 52 Days
Method : OECD Test Guideline 422

Species : Rat
NOAEL : 0.004 mg/l
LOAEL : 0.01 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 90 Days
Method : OECD Test Guideline 413

Formic acid:

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

Species : Rat
 NOAEL : 400 mg/kg
 Application Route : Ingestion
 Exposure time : 52 Weeks
 Remarks : Based on data from similar materials

N-Methyl-2-pyrrolidone:

Species : Rat, male
 NOAEL : 169 mg/kg
 LOAEL : 433 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days
 Method : OECD Test Guideline 408

Species : Rat
 NOAEL : 0.5 mg/l
 LOAEL : 1 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 96 Days
 Method : OECD Test Guideline 413

Species : Rabbit
 NOAEL : 826 mg/kg
 LOAEL : 1,653 mg/kg
 Application Route : Skin contact
 Exposure time : 20 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
 aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 43.50 mg/l

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

plants Exposure time: 72 h

Components:

Fosetyl-aluminium:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 122 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 29.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 2.715 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): >= 100 mg/l Exposure time: 28 d Method: OECD Test Guideline 215
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 17 mg/l Exposure time: 21 d

Ecotoxicology Assessment

Chronic aquatic toxicity : No toxicity at the limit of solubility

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 200 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 12.5 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	NOEC (activated sludge): 0.16 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Formic acid:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 130 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 365 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,240 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC10 (Pseudokirchneriella subcapitata (green algae)): 295 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : NOEC: 72 mg/l
Exposure time: 13 d

N-Methyl-2-pyrrolidone:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
Method: DIN 38412
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l
Exposure time: 72 h
- EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 600 mg/l
Exposure time: 30 min

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version 2.2 Revision Date: 06.03.2024 SDS Number: 11292565-00004 Date of last issue: 14.12.2023
Date of first issue: 09.11.2023

Method: ISO 8192

Persistence and degradability**Components:****2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

Formic acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Bioaccumulative potential**Components:****Fosetyl-aluminium:**

Partition coefficient: n- : log Pow: -2.11
octanol/water

2-Propanol, reaction products with naphthalene, sulfonated, sodium salts:

Partition coefficient: n- : log Pow: -0.27
octanol/water

Formic acid:

Partition coefficient: n- : log Pow: -2.1
octanol/water

N-Methyl-2-pyrrolidone:

Partition coefficient: n- : log Pow: -0.46
octanol/water Method: OECD Test Guideline 107

Mobility in soil

No data available

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not dispose of waste into sewer.
- Contaminated packaging : Follow advice on product label and/or leaflet.
Empty containers retain residue and can be dangerous.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Environmentally hazardous : no

IATA-DGR

- UN/ID No. : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 Packing instruction (cargo aircraft) : Not applicable
 Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

- UN number : Not applicable
 Proper shipping name : Not applicable
 Class : Not applicable
 Subsidiary risk : Not applicable
 Packing group : Not applicable
 Labels : Not applicable
 EmS Code : Not applicable
 Marine pollutant : Not applicable

**SIGNATURE XTRA STRESSGARD SYSTEMIC
TURF FUNGICIDE**

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Hazchem Code	:	Not applicable

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	:	Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
---	---	---

Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
------------------------------------	---	---

Active substance	:	60 % Fosetyl-aluminium
------------------	---	---------------------------

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date	:	06.03.2024
---------------	---	------------

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	---

Date format	:	dd.mm.yyyy
-------------	---	------------

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con-

SIGNATURE XTRA STRESSGARD SYSTEMIC TURF FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2023
2.2	06.03.2024	11292565-00004	Date of first issue: 09.11.2023

taminants.

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN