

## Tempo Xtra

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

### SECTION 1: IDENTIFICATION

Product name : Tempo Xtra  
Product code : Article/SKU: 84474347 UVP: 79726996 Specification: 102000022949

#### Manufacturer or supplier's details

Company : 2022 Environmental Science AU Pty Ltd  
ABN 49 656 513 923  
Address : Suite 2.06, Level 2, 737 Burwood Road  
Hawthorn East, Australia 3123  
Telephone : (03) 7019 3839  
Emergency telephone number : +61 2 9037 2994

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide  
Restrictions on use : Not applicable


---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin sensitisation : Category 1  
Effects on or via lactation  
Specific target organ toxicity - single exposure : Category 2 (Nervous system)

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

H317 May cause an allergic skin reaction.  
H362 May cause harm to breast-fed children.  
H371 May cause damage to organs (Nervous system).

## Precautionary statements

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P263 Avoid contact during pregnancy and while nursing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Glycerine	56-81-5	>= 10 -< 30

## Tempo Xtra

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

Imidacloprid	138261-41-3	< 10
Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	< 10
beta-Cyfluthrin (ISO)	1820573-27-0	>= 1 -< 10
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.05 -< 0.1

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
May cause an allergic skin reaction.  
May cause harm to breast-fed children.  
May cause damage to organs.  
This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.  
This product contains a nicotinoid.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

- Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Metal oxides  
Fluorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Hazchem Code : •3Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

**Tempo Xtra**

Version 1.0	Revision Date: 29.07.2024	SDS Number: 11428704-00001	Date of last issue: - Date of first issue: 29.07.2024
----------------	------------------------------	-------------------------------	--

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Avoid contact during pregnancy and while nursing.  
Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (Mist)	10 mg/m3	AU OEL

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.4 mm  
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : light beige

Odour : No data available

Odour Threshold : No data available

pH : 4.5 - 7 (23 °C)  
Concentration: 100 %

# SAFETY DATA SHEET



## Tempo Xtra

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 1.08 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : dispersible

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

**Tempo Xtra**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Acute toxicity**

Harmful if swallowed or if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 406.73 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 3.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

**Components:****Glycerine:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Guinea pig): > 5,000 mg/kg

**Imidacloprid:**

Acute oral toxicity	:	LD50 (Mouse, male): 131 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 5.323 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg



**Tempo Xtra**

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

**beta-Cyfluthrin (ISO):**

Acute oral toxicity : LD50 (Rat): 11 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.081 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**1,2-Benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat): 454 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Result : Mild skin irritation

**Components:****Glycerine:**

Species : Rabbit  
Result : No skin irritation

**Imidacloprid:**

Species : Rabbit  
Result : No skin irritation

**beta-Cyfluthrin (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**1,2-Benzisothiazol-3(2H)-one:**

Result : Skin irritation

**Tempo Xtra**

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Glycerine:**

Species : Rabbit  
Result : No eye irritation

**Imidacloprid:**

Species : Rabbit  
Result : No eye irritation

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Result : Irritation to eyes, reversing within 21 days

**beta-Cyfluthrin (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**1,2-Benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Imidacloprid:**

Test Type : Magnusson-Kligman-Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**beta-Cyfluthrin (ISO):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Tempo Xtra**

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

**1,2-Benzisothiazol-3(2H)-one:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Glycerine:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Imidacloprid:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

**beta-Cyfluthrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

**Tempo Xtra**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

**1,2-Benzisothiazol-3(2H)-one:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with  
mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Glycerine:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**beta-Cyfluthrin (ISO):**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 18 Months  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

May cause harm to breast-fed children.

**Components:****Glycerine:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

Application Route: Ingestion  
Result: negative

### Imidacloprid:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### beta-Cyfluthrin (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 426  
Result: negative

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period

### 1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Method: OPPTS 870.3800  
Result: negative

### STOT - single exposure

May cause damage to organs (Nervous system).

### Components:

#### beta-Cyfluthrin (ISO):

Exposure routes : Ingestion  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less.

Exposure routes : Skin contact  
Target Organs : Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of 1000 mg/kg bw or less.

**Tempo Xtra**

Version 1.0      Revision Date: 29.07.2024      SDS Number: 11428704-00001      Date of last issue: -  
Date of first issue: 29.07.2024

---

**STOT - repeated exposure**

Not classified based on available information.

**Components:****1,2-Benzisothiazol-3(2H)-one:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****Glycerine:**

Species : Rat  
NOAEL : 0.167 mg/l  
LOAEL : 0.622 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 8,000 - 10,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

Species : Rabbit  
NOAEL : 5,040 mg/kg  
Application Route : Skin contact  
Exposure time : 45 Weeks

**Imidacloprid:**

Species : Mouse, male  
LOAEL : 17 mg/kg  
Application Route : Ingestion  
Exposure time : 24 Months

**1,2-Benzisothiazol-3(2H)-one:**

Species : Dog  
NOAEL : 5 mg/kg  
LOAEL : 20 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : Directive 67/548/EEC, Annex, B.27

**Aspiration toxicity**

Not classified based on available information.

**Tempo Xtra**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Glycerine:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8

**Imidacloprid:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 0.0027 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): >= 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 9.02 mg/l Exposure time: 91 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10: 0.000056 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	NOEC (activated sludge): 5,600 mg/l Exposure time: 3 h

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

- aquatic invertebrates  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials
- beta-Cyfluthrin (ISO):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.068 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 0.0001 - 0.001 µg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 µg/l  
Exposure time: 58 d  
Remarks: Based on data from similar materials
- 1,2-Benzisothiazol-3(2H)-one:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.74 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.24 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.1087 mg/l  
Exposure time: 24 h
- EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0268 mg/l  
Exposure time: 24 h
- Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.28 mg/l



**Tempo Xtra**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

icity) Exposure time: 33 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.91 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC: 10.3 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Glycerine:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

**Imidacloprid:**

Biodegradability : Result: not rapidly degradable

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

**1,2-Benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly degradable

**Bioaccumulative potential****Components:****Glycerine:**

Partition coefficient: n-octanol/water : log Pow: -1.75

**Imidacloprid:**

Partition coefficient: n-octanol/water : log Pow: 0.57

**beta-Cyfluthrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,508  
Method: OECD Test Guideline 305

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

Partition coefficient: n-octanol/water : log Pow: 5.8 - 5.9

### 1,2-Benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 6.62

Partition coefficient: n-octanol/water : log Pow: 0.7

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.  
Empty containers retain residue and can be dangerous.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(beta-Cyfluthrin (ISO), Imidacloprid)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(beta-Cyfluthrin (ISO), Imidacloprid)  
Class : 9  
Packing group : III  
Labels : Miscellaneous

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

**IMDG-Code**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(beta-Cyfluthrin (ISO), Imidacloprid)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(beta-Cyfluthrin (ISO), Imidacloprid)

Class : 9

Packing group : III

Labels : 9

Hazchem Code : •3Z

Environmentally hazardous : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Product Type : Insecticides, acaricides and products to control other arthro-

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

Active substance : pods  
: 25 g/l  
beta-Cyfluthrin (ISO)  
  
50 g/l  
Imidacloprid

---

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date : 29.07.2024

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

## Tempo Xtra

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	29.07.2024	11428704-00001	Date of first issue: 29.07.2024

---

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN