

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BARMAC

DSMA Clear

Selective Herbicide

ACTIVE CONSTITUENT: 220 g/L DSMA

GROUP **Z** HERBICIDE

A clear liquid solution of DSMA for the control of Paspalum (*Paspalum Dilatatum*), Summergrass (*Digitaria* spp.), Mullumbimby Couch and other sedges in common couch, bent and fescue lawns, bowling greens and golf courses.

Contents: 10 Litres

BARMAC

(A division of Amgrow Australia Pty Ltd) ABN 22 069 900 456

82 Christensen Road, Stapyilton QLD 4207 ♦ Tel: (07) 3802 5050

www.barmac.com.au



DIRECTIONS FOR USE

- RESTRAINTS:** DO NOT use product on Queensland Blue Couch, Carpet, Kikuyu or Centipede grasses as severe injury may result.
DO NOT apply to dry turf during hot weather.
DO NOT water or cut grass for 24 hours after treatment.
DO NOT spray on windy days as drift may damage desirable plants.

SITUATION	PEST	STATE	RATE	CRITICAL COMMENTS
TURF COUCH Golf Greens, Parks, Lawns and Tennis Courts	Paspalum, Summergrass, Mullumbimby Couch, Sedges, Crab Grass, Nut Grass	All States except WA WA only	250-660mL in 4.5- 20L of water per 100m ² 250mL in 4.5-20L of water per 100m ²	Area to be treated should be watered the previous day to ensure the soil is moist. Use the finest spray possible. Some injury may occur if applied when air temperatures exceed 30°C.
Bowling Greens		All States except WA WA only	10L in 300L of water per standard green 3.8L in 300L of water per standard green	
TURF BENT OR FESCUE Golf Greens, Parks, Lawns and Tennis Courts		All States	250-410mL in 4.5-20L of water per 100m ²	
Bowling Greens		All States	6.1L in 300L of water per standard green	Use of the lower rates will reduce discolouration but will require repeat applications at 7 days and 14 days later. Repeat spray program as necessary.
TURF BUFFALO GRASS Golf Greens, Parks, Lawns and Tennis Courts		WA only	250mL in 4.5-20L of water per 100m ²	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

THIS PRODUCT IS TOO HAZARDOUS TO BE RECOMMENDED FOR USE IN THE HOME GARDEN.

GENERAL INSTRUCTIONS

PROTECTION OF LIVESTOCK: DO NOT feed treated grass clippings from treated areas to poultry or other animals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: Toxic to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

PROTECTION OF CROPS, NATIVE AND NON TARGET PLANTS: DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

RESISTANT WEEDS WARNING: BARMAC DSMA Clear Selective Herbicide is a member of the Organoarsenic group of herbicides. For weed resistance management BARMAC DSMA Clear Selective Herbicide is a group Z herbicide. Some naturally occurring weed biotypes resistant to BARMAC DSMA Clear Selective Herbicide and other group Z herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by BARMAC DSMA Clear Selective Herbicide or other group Z herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, BARMAC (A division of Amgrow Australia Pty Ltd) accepts no responsibility for any losses that may result from the failure of BARMAC DSMA Clear Selective Herbicide to control resistant weeds.

STORAGE AND DISPOSAL: Store in the closed original container in a well-ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, foods, feedstuffs, seed and fertilizers. Triple or preferably, pressure rinse empty containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on-site. Break, crush, and or puncture and bury empty containers in a local authority landfill. If not available bury the containers at a depth of 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers or product should not be burned.

GROUP **Z** HERBICIDE

SAFETY DIRECTIONS: Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with the eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and rubber gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

CONDITIONS OF SALE: Product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective.

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: **Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure.** Do not breathe fumes, mists, vapours or spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well ventilated area. Wear protective gloves, protective clothing and eye or face protection. Get medical advice or attention if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Not combustible. Use extinguishing media suited to burning materials.

APVMA Approval No.: 52802/5L-25L/0607

Batch Number



Date of Manufacture

